

# **Product Information**

# Recombinant Human Anti-Human MUC1 Monoclonal Antibody

Cat. No.: HOM-19281

This product is for research use only and is not intended for diagnostic use.

#### **Product Overview**

Recombinant humanized antibody expressed in CHO binding to human MUC1.

## **Antigen Description**

Episialin, a carcinoma-associated mucin, is generated by a polymorphic gene encoding splice variants with alternative amino termini.

# **Target**

MUC<sub>1</sub>

## **Species Reactivity**

Human

# **Type**

Human IgG

#### **Expression Host**

СНО

#### Clone

Monoclonal

## **Purity**

>95.0% as determined by analysis by RP-HPLC & analysis by SDS-PAGE.

# **Applications**

ELISA, WB, IHC, FCM, IP, IF. Optimal dilutions/concentrations should be determined by the end user.

# **Molecular Weight**

145.41 kDa

# Stability

Samples are stable for up to twelve months from date of receipt at - 20°C and are stable for six months at 4 °C.

# **Storage**

Store it under sterile conditions at -20 °C upon receiving. Recommend to pack the antibody into smaller quantities for optimal storage.

## Ship

2-8°C, BLUE ICE

#### **ANTIGEN GENE INFOMATION**

#### **Gene Name**

MUC1 mucin 1, cell surface associated [ Homo sapiens ]

# Official Symbol

MUC1

## **Synonyms**

MUC1; mucin 1, cell surface associated; mucin 1, transmembrane, PUM; mucin-1; CD227; PEM; episialin; DF3 antigen; H23 antigen; krebs von den Lungen-6; mucin 1, transmembrane; tumor-associated mucin; carcinoma-associated mucin; polymorphic epithelial mucin; peanut-reactive urinary mucin; tumor associated epithelial mucin; breast carcinoma-associated antigen DF3; tumor-associated epithelial membrane antigen; EMA; PUM; KL-6; MAM6; PEMT; H23AG; MUC-1; MUC-1/X; MUC-1/ZD; MUC-1/SEC;

#### Gene ID

4582

### mRNA Refseq

NM 001018016

# **Protein Refseq**

NP 001018016

#### MIM

**158340** 

## **UniProt ID**

P15941

#### **Chromosome Location**

1q22

#### **Pathway**

IL-7 Signaling Pathway, organism-specific biosystem; Metabolism of proteins, organism-specific biosystem; O-linked glycosylation of mucins, organism-specific biosystem; Post-translational protein modification, organism-specific biosystem; T Cell Receptor Signaling Pathway, organism-specific biosystem; Termination of O-glycan biosynthesis, organism-specific biosystem;

## **Function**

RNA polymerase II core promoter proximal region sequence-specific DNA binding; p53 binding; protein binding; transcription cofactor activity;

SUITE 203, 17 Ramsey Road, Shirley, NY 11967, USA Tel: 1-631-416-1478 Fax: 1-631-207-8356