

Product Information

Recombinant Anti-Human MS4A1 Antibody scFv Fragment

Cat. No.: **MOM-H27-S(P)**

This product is for research use only and is not intended for diagnostic use.

Product Overview

Recombinant Mouse Antibody scFv Fragment is bind to Human MS4A1, expressed in E. coli

Antigen Description

B-lymphocyte antigen CD20 or CD20 is an activated-glycosylated phosphoprotein expressed on the surface of all B-cells beginning at the pro-B phase (CD45R+, CD117+) and progressively increasing in concentration until maturity. In humans CD20 is encoded by

Specific Activity

MS4A1(membrane-spanning 4-domains subfamily A member 1, CD20) [Homo sapiens]

Target

MS4A1

Source

Mouse

Species Reactivity

Human

Type

Mouse scFv

Expression Host

E. coli

Purity

>95.0%, determined by analysis by RP-HPLC & analysis by SDS-PAGE.

Purification

Purified by Nickel ion affinity chromatography

Applications

Suitable for use in ELISA, WB, Neut and most other immunological methods.

Storage

Store the antibody (in aliquots) at -20°C. Avoid repeated freezing and thawing of samples.

ANTIGEN GENE INFORMATION

Gene Name

[MS4A1 membrane-spanning 4-domains, subfamily A, member 1 \[Homo sapiens \]](#)

Official Symbol

MS4A1

Synonyms

MS4A1; membrane-spanning 4-domains, subfamily A, member 1; CD20; B-lymphocyte antigen CD20; B1; Bp35; MS4A2; CD20 antigen; CD20 receptor; leukocyte surface antigen Leu-16; B-lymphocyte cell-surface antigen B1; S7; CVID5; LEU-16; MGC3969;

Gene ID

[931](#)

mRNA Refseq

[NM_021950](#)

Protein Refseq

[NP_068769](#)

MIM

[112210](#)

UniProt ID

P11836

Chromosome Location

11q12-q13.1

Pathway

Hematopoietic cell lineage, organism-specific biosystem; Hematopoietic cell lineage, conserved biosystem;

Function

epidermal growth factor receptor binding;