

# Product Information

## MemDX™ Knockout CD47 Jurkat Cell Line

Cat. No.: **S01YF-1222-KX953**

This product is for research use only and is not intended for diagnostic use.

### Product Information

#### Target Protein

CD47

#### Host Cell Type

Jurkat

#### Target Classification

Knockout Cell Lines

#### Target Research Area

Cardiovascular Research

#### Related Diseases

Hereditary Spherocytosis; Glanzmann Thrombasthenia

### Product Properties

#### Morphology

Lymphoblast

#### Assay Types

Drug screening and biological assays

#### Stability

10 passages

#### Mycoplasma Testing

Negative

#### Biosafety Level

Level 1

#### Activity

Yes

#### Quantity

5x10<sup>6</sup> cells

#### Form

Frozen cells

### **Freeze Medium**

70% RPMI 1640 + 20% FBS + 10% DMSO

### **Culture Medium**

RPMI 1640 + 10% FBS

### **Selective Antibiotic(s)**

Regular antibiotics active against mycoplasmas, bacteria and fungi.

### **Handling Notes**

Frozen cells should be thawed immediately upon receipt and grown according to handling procedure to ensure cell viability and proper assay performance.

Note: Do not freeze the cells upon receipt as it may result in irreversible damage to the cell line.

Disclaimer: We cannot guarantee cell viability if the cells are not thawed immediately upon receipt and grown according to handling procedure.

### **Incubation**

37°C with 5% CO<sub>2</sub>

### **Applications**

Drug screening and biological assays

### **Application Notes**

Cells were plated in a 384-well plate and incubated overnight at 37°C and 5% CO<sub>2</sub> to allow the cells to attach and grow. Cells were then stimulated with a control for high-throughput drugs screening and functional assays.

### **Use Restrictions**

These cells are distributed for research use only.

### **Shipping**

Dry ice

### **Storage**

Liquid nitrogen

## **Target**

### **Full Name**

CD47 molecule

### **Introduction**

This gene encodes a membrane protein, which is involved in the increase in intracellular calcium concentration that occurs upon cell adhesion to extracellular matrix. The encoded protein is also a receptor for the C-terminal cell binding domain of thrombospondin, and it may play a role in membrane transport and signal transduction. This gene has broad tissue distribution, and is reduced in expression on Rh erythrocytes. Alternatively spliced transcript variants have been found for this gene.

### **Alternative Names**

CD47; IAP; OA3; MER6; leukocyte surface antigen CD47; CD47 antigen (Rh-related antigen, integrin-associated signal transducer); CD47 glycoprotein; Rh-related antigen; antigen identified by monoclonal antibody 1D8; antigenic surface determinant protein OA3; integrin associated protein; integrin-associated signal transducer; CD47 molecule

### **Gene ID**

[961](#)

**UniProt ID**

[Q08722](#)